



참고용 시험성적서 번호 F690101/LF-CTSAYAR25-00913

발행일: 2025. 05. 02 페이지: 1/2

고객명 : 디자인엠에스

주소 : 인천 남동구 논현고잔로 106 B동 1층 일부호 171블록 5로트 (고잔동)

고객으로부터 제공받은 시료에 대한 정보는 다음과 같습니다.

본 성적서는 식품의약품안전처 「식품·의약품분야 시험·검사 등에 관한 법률」에 따른 것이 아닙니다.

SGS 파일 번호 : AYAR25-00913
제품명 : 캔따개마개 실리콘 덮개
아이템번호 : 제조일자 : 2025-04-17
재질 : 고무제
시험기간 : 2025. 04. 22 to 2025. 05. 02
시험성적서의용도 : 참고용
시험결과 : 자세한 결과는 다음 장을 참조하세요.



Jungsub Shim

Technical Manager / SGS KOREA

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm http://www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s).



참고용 시험성적서 번호 F690101/LF-CTSAYAR25-00913

발행일: 2025. 05. 02 페이지: 2/ 2

시 료 번 호 : AYAR25-00913.001
제 품 명 : 캔따개마개 실리콘 덮개
아 이 템 번 호 : 제조일자 : 2025-04-17
재 질 : 고무제(실리콘)

잔류규격

시 험 항 목	단 위	정량한계	결 과	비 고
납 (Pb)	mg/kg	2	불검출	100 이하
카드뮴 (Cd)	mg/kg	2	불검출	100 이하
2-머캅토이미다졸린	**	-	불검출	불검출
시 험 방 법	식품용 기구 및 용기 포장 공전			

용출규격

시 험 항 목	단 위	정량한계	결 과	비 고
납(Pb)	mg/L	0.05	불검출	1 이하
총용출량(물)	mg/L	-	10	60 이하
총용출량(20%에탄올)	mg/L	-	5	60 이하
페놀	mg/L	0.02	불검출	5 이하
포름알데히드	mg/L	0.05	불검출	4 이하
아연(Zn)	mg/L	0.02	0.02	15 이하
시 험 방 법	식품용 기구 및 용기 포장 공전			

- 주) (1) 불검출 = 정량한계 이하
(2) 상기 비교는 고객의 요청에 의해, 식품용 기구 및 용기 포장 공전 상의 기준을 기입하였습니다.
(3) 이 시험 결과는 의뢰자가 제시한 제품 및 제품명에만 한정되며, 인쇄 또는 수기 표시사항이 없습니다.
(4) 이 시험 성적서는 KS Q ISO/IEC 17025 와 KOLAS 인정 분야와 관련 없는 시험 결과입니다.
(5) 성적서의 진위 판별은 <https://eecloud.sgs.com/index.aspx> 에서 가능합니다.
(6) 이 시험 성적서는 우리 기관의 사전 동의 없이 홍보, 선전, 광고 및 소송용으로 사용될 수 없으며
용도 이외의 사용을 금합니다.

*** 끝 ***

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm -<http://www.sgs.com/terms_e-document.htm>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s).